



## Short Review

## Can yoga therapy stimulate stem cell trafficking from bone marrow?



Nitya Shree, Ramesh R. Bhonde\*

School of Regenerative Medicine, GKVK Post, Bellary Road, Bangalore, 560065, India

## ARTICLE INFO

## Article history:

Received 28 May 2016

Received in revised form

8 July 2016

Accepted 19 July 2016

Available online 17 September 2016

## Keywords:

Stem cells

Mobilization

Yoga

Pranayam

Cell trafficking

Anti senescence

## ABSTRACT

It has been established that mesenchymal stromal cells (MSCs) from bone marrow enter the peripheral circulation intermittently for possible tissue regeneration, repair and to take care of daily wear and tear. This is evident from the detection of MSCs from peripheral blood. The factors governing this migration remain elusive. These MSCs carry out the work of policing and are supposed to repair the injured tissues. Thus, these cells help in maintaining the tissue and organ homeostasis. Yoga and *pranayama* originated in India and is now being practiced all over the world for positive health. So far, the chemical stimulation of bone marrow has been widely used employing injection of colony stimulating factor. However, the role of physical factors such as mechanical stimulation and stretching has not been substantiated. It is claimed that practicing yoga delays senescence, improves the physiological functions of heart and lung and yoga postures make the body elastic. It remains to be seen whether the yoga therapy promotes trafficking of the stem cells from bone marrow for possible repair and regeneration of worn out and degenerating tissues. We cover in this short review, mainly the role of physical factors especially the yoga therapy on stem cells trafficking from bone marrow.

© 2016 Transdisciplinary University, Bangalore and World Ayurveda Foundation. Publishing Services by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## 1. Background

It is believed from a long time that healthy spirit results in healthy body [1]. The thought that interactions between the mind and body influence physical health has existed for a long time [2]. The system of the movement and breathing exercises meant to promote the connection between mind and body is yoga. Yoga originated in India, was practiced by ancient Indians and was systemized by the writer Patanjali in the first or second century BC. Yoga consists of breathing exercises called *pranayama* and postures called *asanas* and *mudras*. Yoga has gradually gained popularity, and many of them who practice it say that it improves their health. The bending, stretching, and deep breathing have become a type of oxygen for the modern soul. There are several evidences that prove yoga to be extremely beneficial for patients with back pain, asthma, depression, anxiety and hypertension [3].

Deep breathing modulates oxidative stress. It is established that deep breathing enhances the antioxidant defense status of athletes after exercise, which is accompanied by concomitant decrease in cortisol, increase in melatonin resulting in lesser oxidative stress

[4]. A theoretical description by Jerath et al. explains a common physiological mechanism underlying *pranayama* and reveal the role of the respiratory and cardiovascular system on modulating the autonomic nervous system [5].

All the beneficial effects of yoga are well documented in literature. However, the mechanism of action of yoga in improving the organ function is not yet revealed. It is likely that yoga and *pranayama* stimulate stem cell trafficking from the stem cell depots to the peripheral circulation. Pattern formation and remodeling of the organ is facilitated by stem cell trafficking. Hence, we postulate that yoga and *pranayama* act as a cargo to carry stem cells to their destination wherever needed. It is presumed that the yogic practices provide mechanical stimulation for mobilization of stem cells from bone marrow and tissue resident stem cell depots. It is claimed that yoga and related practices result in rapid gene expression alterations which may be the basis for their long term cell biological and higher level health effects [6].

## 2. Mesenchymal stem cells (MSCs)

MSCs are non-hematopoietic stromal cells present in the bone marrow and most of the connective tissues. They are capable of differentiating into mesenchymal tissue such as bone, cartilage,

\* Corresponding author.

E-mail address: [rr.bhonde@manipal.edu](mailto:rr.bhonde@manipal.edu) (R.R. Bhonde).

Peer review under responsibility of Transdisciplinary University, Bangalore.

adipose tissue and muscle [7]. MSCs have been found in almost all the post-natal organs as resident stem cell population. It acts as a reserved pool of undifferentiated cells which play an important role in tissue homeostasis. MSCs have their own paracrine secretions. They are well known to have immunomodulatory and angiogenic properties. They are anti-ageing, anti-apoptotic, anti-scarring and antioxidant [8]

### 3. Stem cell trafficking

Stem cells undergo regulated trafficking from the developmental stages to the adulthood. Their migration is critical in organogenesis of developing organs. It likely contributes post-natally to tissue regeneration [9,10]. It is claimed that undifferentiated populations of stem cells found in the post natal organs are contributed by bone marrow stem cell trafficking [11]. In addition to bone marrow, there are many other organs which exhibit this phenomenon of stem cell trafficking such as endometrium, placenta, breast milk etc. There are three US-FDA approved drugs available for HSPC mobilization: granulocyte colony stimulating factor (G-CSF, Filgrastim), granulocyte/macrophage colony stimulating factor (GM-CSF, Sargramostim), and AMD3100 (Plerixafor). It has been reported that in humans, Hematopoietic Stem Progenitor Cell (HSPC) mobilization can occur without the use of pharmacological agents. For example, the quantity of HSPC in peripheral blood fluctuates throughout the day and is governed by circadian rhythms [12]. Likewise, HSPC content in peripheral blood can increase rapidly and transiently due to acute physiological stress [13]. There is a lot of evidence to support the concept that exercise can mobilize HSPCs into circulation and it is transient but the effect on quantity remains to be elucidated [14,15]. HSPC mobilization following acute exercise is believed to be dependent on age, exercise intensity, and training status. Factors involved in HSPC mobilization reported so far are as follows:

1. Activation of sympathetic nervous system (SNS) – may participate in G-CSF-induced HSPC mobilization.
2. A number of redundant pathways in the niche exist to mediate HSPC mobilization into peripheral circulation.
3. By acute and chronic inflammatory stimuli – Acute exercise-induced inflammation may be a potential mechanism responsible for HSPC mobilization [16].

Moreover, it has been established that beneficial effects of exercise include improving physical fitness and quality of life [17,18]. Thus, exercise may provide a safe, feasible, low-cost approach to enhance HSPC mobilization. An important suggested purpose of this circulation is that various types of such circulating stem cells play a role in “patrolling” peripheral tissues to prevent infections and tissue damage. Based on the earlier evidences it has been investigated and found that very small embryonic-like stem cells (VSELs) also mobilize in parallel with HSPC after endurance exercise. There is a positive effect of exercise on expansion of the primitive pool of stem cells in bone marrow. Since these small cells may differentiate into several types of cells across the three germ layers, their increase may explain, in a novel way, the positive effect of regular exercise on tissue and organ rejuvenation and on improving life quality by directly affecting the pool of the most primitive stem cells residing in adult tissues [19]. Haas et al. reported that the most desirable and beneficial life style pattern includes enhanced physical activity prior to the advance of peripheral arterial disease (PAD) limitations [20]. These observations will be crucial for the development and optimization of novel treatment strategies aimed at prolonging human life span, and physical activity being an important part of this.

However, it is not known that stem cell trafficking is facilitated in all these circumstances by yoga and *pranayama* as there is a scarcity of literature on this particular issue. Hence, it is very important to undertake such a study to prove the relation between yoga and stem cell trafficking. Yoga practice involves stretching, bending and twisting which is likely to release stem cells from bone marrow to peripheral circulation which is required for homeostasis.

### 4. Pranayama as a means to induce intermittent hypoxia (IH)

A short cyclic episode of hypoxia followed by normoxia is the characteristic feature of intermittent hypoxia. It can occur during intense exercise, obstructive sleep apnoea and obstructive lung disease. Increased intracellular reactive oxygen species (ROS) generation during the reoxygenation phase is associated with IH which further affects cell proliferation and neuronal differentiation [21]. In diabetic patients, *pranayama* is likely to play a major role in activating beta cells for insulin production. Transplantation efficacy of mesenchymal stem cells and cardiac progenitor cells in animal models of myocardial infarction has been shown to improve due to hypoxic preconditioning [22]. *Nisshesha rechaka pranayama* may offer benefits through the mechanism of intermittent hypoxia. Disease conditions where self-administered brief intermittent hypoxia can work are type 2 diabetes mellitus, coronary artery disease, osteoarthritis, Parkinson's disease, chronic renal failure and many more [23].

### 5. Yoga therapy and disease

There are several reports which suggest that yoga therapy may have a synergistic effect with conventional modalities of treatment in preventing cancer progression and recurrences [24]. Possible antidepressant effects with yoga intervention in breast cancer patients undergoing conventional treatment and in reducing postoperative distress and preventing immune suppression following surgery has also been reported [25,26]. A report by Diorio et al., standardized yoga program and an approach to monitoring that are now ready for incorporation in clinical trials. They suggest that future work should include the adaptation of the program to different pediatric populations and clinical settings [27]. It has been reported that increased telomerase activity and stem cells count in peripheral blood from mind and body therapies (MBT) retreat participants that may lead to increased longevity and better quality of life at latter age [28]. Yoga, massage and Reiki decrease stress and anxiety, improve mood and enhance cancer center patrons' perceived overall health and quality of life [29]. Yoga has beneficial effects on various health conditions. The available evidence suggests that yoga helps in lowering oxidative stress and blood pressure; enhances pulmonary and autonomic function, mood, sleep, and quality of life; and reduces medication providing benefits to adult patient with type 2 diabetes mellitus [30,31]. There are evidences that yoga practice is generally effective in reducing body weight, blood pressure, glucose level and high cholesterol. However, only few studies examined long-term adherence [32].

### 6. Proposed hypothesis

We hypothesize that practicing yoga stimulates the bone marrow stem cells (both hematopoietic and mesenchymal stem cells) trafficking to the peripheral blood. These circulating stem cells then help in reduction of inflammation, prevent apoptosis, help in restoring the lost cells and delay senescence. We further state that the combination of yoga with *pranayama* exposes the




Fig. 1. Possible action of practicing yoga on stem cell trafficking leading to repair and regeneration.

body tissues to intermittent hypoxia thereby stimulating the mobilization of cells from stem cell pool enabling natural cell replacement as depicted in Fig. 1. It is expected that regular practicing of yoga enable slow and sustained trafficking of stem cells to peripheral circulation for positive health. However, achievement of the complete benefit of yoga therapy will depend on several factors such as; age, health status and frequency and duration of yogic practice. It remains to be seen that how much trafficking of stem cells is achieved by yoga. Ways to test the hypothesized mechanism of stem cell trafficking via yoga are as follows:

1. By analyzing the blood and urine of the yoga and non-yoga practicing groups (age and sex matched adults) and estimating stem cell markers as summarized in Table 1.
2. The serum can be analyzed for the levels of anti-inflammatory cytokines and growth factors.
3. By analyzing the anti oxidant enzyme status as a parameter of defense machinery.

In a nutshell, the stem cell trafficking is hypothesized as a possible mechanism activated by yoga and *pranayama* leading to the benefits that one achieves such as anti-aging, antioxidant and anti-senescence effects.

Table 1  
List of CD markers.

Markers	Stem cells
CD 34 and CD45	Hematopoietic stem cells
CD 90, CD105, CD73, CD44 and Sca1	Mesenchymal stem cells
CD146 and Flk1	Endothelial markers

## 7. Conclusions

It is clear from the foregoing account that yoga practice has a potential to induce stem cell trafficking from bone marrow to peripheral blood for possible repair and regeneration of tissues. The literature cited in this review demonstrates the importance of yoga therapy in wellness as well as illness. The rejuvenating and curative effects experienced by yoga practitioners could be attributed to repair and regeneration of tissues by replacement and recruitment of cells differentiated from the stem cell which is beyond the drug action. Therefore, yoga practice can be looked upon as one of the best ways to facilitate stem cell trafficking essential for healthy living and improving the quality of life under the scenario of rise in longevity of human being. However, there is no direct evidence from the literature search to support this idea indicating the need to develop such evidence-based science for yoga.

## Conflict of interest

Authors declare no conflict of interest.

## Acknowledgement

Authors wish to thank Manipal University for providing work atmosphere and support to carry out the research. Thanks are also due to Dr. Gundu H. R. Rao Emeritus Professor, University of Minnesota for providing relevant literature.

## References

- [1] Sternberg EM. *The Balance within: the Science Connecting Health and Emotions*. New York: WH Freeman; 2001.

- [2] Telles S, Singh N, Balkrishna A. Role of respiration in mind-body practices: concepts from contemporary science and traditional yoga texts. *Front Psychiatry* 2014;5:167.
- [3] Verrastro G. Yoga as therapy: when is it helpful? Good evidence supports the use of specific types. *J Fam Pract* 2014;63(9):E1–6.
- [4] Martarelli D, Cocchioni M, Scuri S, Pompei P. Diaphragmatic breathing reduces exercise-induced oxidative stress. *Evid Based Complement Alternat Med* 2011;2011:932430.
- [5] Jerath R, Edry JW, Barnes VA, Jerath V. Physiology of long pranayamic breathing: neural respiratory elements may provide a mechanism that explains how slow deep breathing shifts the autonomic nervous system. *Med Hypotheses* 2006;67(3):566–71.
- [6] Qu S, Olafsrud SM, Meza-Zepeda LA, Saatcioglu F. Rapid gene expression changes in peripheral blood lymphocytes upon practice of a comprehensive yoga program. *PLoS One* 2013 Apr 17;8(4):e61910.
- [7] Augello A, Kurth TB, De Bari C. Mesenchymal stem cells: a perspective from in vitro cultures to in vivo migration and niches. *Eur Cell Mater* 2010;20:121–33.
- [8] Semedo P, Burgos-Silva M, Donizetti-Oliveira C, Saraiva Camara NO. How do Mesenchymal Stem Cells Repair? *Stem Cells Clin Res* 2011. <http://dx.doi.org/10.5772/17574>. Dr. Ali Gholamrezaezhad (Ed.), InTech.
- [9] Magnon C, Lucas D, Frenette PS. Trafficking of stem cells. *Methods Mol Biol* 2011;750:3–24.
- [10] Laird DJ, von Andrian UH, Wagers AJ. Stem cell trafficking in tissue development, growth, and disease. *Cell* 2008;132(4):612–30.
- [11] da Silva Meirelles L, Chagastelles PC, Nardi NB. Mesenchymal stem cells reside in virtually all post-natal organs and tissues. *J Cell Sci* 2006;119(Pt 11):2204–13.
- [12] Méndez-Ferrer S, Battista M, Frenette PS. Cooperation of beta(2)- and beta(3)-adrenergic receptors in hematopoietic progenitor cell mobilization. *Ann New York Acad Sci* 2010;1192(1):139–44.
- [13] Barrett AJ, Longhurst P, Sneath P, Watson JG. Mobilization of CFU-C by exercise and ACTH induced stress in man. *Exp Hematol* 1978;6(7):590–4.
- [14] De Lisio M, Parise G. Exercise and hematopoietic stem and progenitor cells: protection, quantity, and function. *Exerc Sport Sci Rev* 2013;41(2):116–22.
- [15] Boppart MD, De Lisio M, Witkowski S. Exercise and stem cells. In: *Progress in molecular biology and translational science*, 135; 2015. p. 423–56.
- [16] Emmons R, Niemi GM, De Lisio M. Exercise as an adjuvant therapy for hematopoietic stem cell mobilization. *Stem Cells Int* 2016;2016:7131359.
- [17] King KY, Goodell MA. Inflammatory modulation of HSCs: viewing the HSC as a foundation for the immune response. *Nat Rev Immunol* 2011;11(10):685–92.
- [18] De Lisio M, Baker JM, Parise G. Exercise promotes bone marrow cell survival and recipient reconstitution post-bone marrow transplantation, which is associated with increased survival. *Exp Hematol* 2013;41(2):143–54.
- [19] Marycz K, Mierzejewska K, Śmieszek A, Suszynska E, Malicka I, Kucia M, et al. Endurance exercise mobilizes developmentally early stem cells into peripheral blood and increases their number in bone marrow: implications for tissue regeneration. *Stem Cells Int* 2016;2016:5756901.
- [20] Haas TL, Lloyd PG, Yang H-T, Terjung RL. Exercise training and peripheral arterial disease. *Compr Physiol* 2012;2(4):2933–3017.
- [21] Windsor JS, Rodway GW. Heights and haematology: the story of haemoglobin at altitude. *Postgrad Med J* 2007;83(977):148–51.
- [22] Maslov LN, Podoksenov IuK, Portnichenko AG, Naumova AV. Hypoxic preconditioning of stem cells as a new approach to increase the efficacy of cell therapy for myocardial infarction. *Vestn Ross Akad Med Nauk* 2013;12:16–25.
- [23] Malshe PC. *Nisshesha rechaka pranayama* offers benefits through brief intermittent hypoxia. *Ayu* 2011;32(4):451–7.
- [24] Bhargav H, Metri K, Raghuram N, Ramarao NH, Koka PS. Enhancement of cancer stem cell susceptibility to conventional treatments through complementary yoga therapy: possible cellular and molecular mechanisms. *J Stem Cells* 2012;7(4):261–7.
- [25] Rao RM, Raghuram N, Nagendra HR, Usharani MR, Gopinath KS, Diwakar RB, et al. Effects of an integrated yoga program on self-reported depression scores in breast cancer patients undergoing conventional treatment: a randomized controlled trial. *Indian J Palliat Care* 2015;21(2):174–81.
- [26] Rao RM, Nagendra HR, Raghuram N, Vinay C, Chandrashekara S, Gopinath KS, et al. Influence of yoga on mood states, distress, quality of life and immune outcomes in early stage breast cancer patients undergoing surgery. *Int J Yoga* 2008;1(1):11–20.
- [27] Diorio C, Celis Ekstrand A, Hesser T, O'Sullivan C, Lee M, Schechter T, et al. Development of an individualized yoga intervention to address fatigue in hospitalized children undergoing intensive chemotherapy. *Integr Cancer Ther* 2016. <http://dx.doi.org/10.1177/1534735416630806>.
- [28] Rao KS, Chakraharti SK, Dongare VS, Chetana K, Ramirez CM, Koka PS, et al. Antiaging effects of an intensive mind and body therapeutic program through enhancement of telomerase activity and adult stem cell counts. *J Stem Cells* 2015;10(2):107–25.
- [29] Rosenbaum MS, Velde J. The effects of yoga, massage, and reiki on patient well-being at a cancer resource center. *Clin J Oncol Nurs* 2016;20(3):E77–81.
- [30] Cui J, Yan JH, Yan LM, Pan L, Le JJ, Guo YZ. Effects of yoga in adult patients with type 2 diabetes mellitus: a meta-analysis. *J Diabetes Investig* 2016. <http://dx.doi.org/10.1111/jdi.12548>.
- [31] Innes KE, Selve TK. Yoga for adults with type 2 diabetes: a systematic review of controlled trials. *J Diabetes Res* 2016. 2016: Article ID 6979370.
- [32] Yang KA. Review of yoga programs for four leading risk factors of chronic diseases. *Evid Based Complement Alternat Med* 2007;4(4):487–91.